

PRE MRI FUSION PROSTATE BIOPSY INSTRUCTIONS

You have been scheduled for a MRI Fusion Biopsy of the prostate.

PRIOR TO YOUR MRI FUSION BIOPSY

- Do not take Aspirin, Motrin, Aleve, Coumadin, or anticoagulants for 7 days prior to your biopsy.
- Do not consume alcohol for 72 hours prior to the biopsy.

DAY OF MRI FUSION BIOPSY

Arrival Time:	Procedure Time:
	110000010 11000

- Prior to your biopsy please make sure you drink fluids with calories i.e. juice, jello, popsicles, soft drinks, soup, shakes, smoothies etc.
- DO NOT eat solid foods 4 hours prior to your biopsy procedure.
- You may take all of your medications except for blood thinning agents listed above.
- Give yourself a Fleet enema according to the packaging directions 2-3 hours prior to your arrival time. The Fleet enema is available over the counter at any pharmacy.
- DO NOT empty your bladder 30 minutes prior to your appointment
- If you have been given antibiotics by your urologist take the medications that have been prescribed to you as directed. If no antibiotics were prescribed to you, we will give the appropriate prophylactic antibiotic upon your arrival.

If you have questions regarding your procedure preparation or medications please call 224- 260-3100.